

	Type	Hits	Search Text
1	BRS	65	(heat adj sink) and fin and (blower adj fan)
2	BRS	895	(heat adj sink) and fin and (blower or fan or impeller) and (circuit adj board)
3	BRS	131	(heat adj sink) with (circuit adj board) with (fan or impeller or blower)
4	BRS	1066	(heat adj sink) and (fan with duct\$3)
5	BRS	124	S221 and taper\$3
6	BRS	1447	(heat adj sink) and (air with duct\$3) and fan
7	BRS	2305	(heat adj sink) and (air with duct\$3)
8	BRS	925	S246 and fin
9	BRS	21	S247 and oblique
10	BRS	152	S247 and substrate
11	BRS	113	S249 and base

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2926	(heat adj sink) and ((hous\$3 or duct\$3 or shroud\$3) with fan)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
2	BRS	L2	1462	1 and fin	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
3	BRS	L3	252	2 and (taper\$3 or (reduce\$3 with cross\$3))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
4	BRS	L4	375	(heat adj sink) and ((hous\$3 or duct\$3 or shroud\$3) with fan) and (base with fin)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	493	1 and fin and (air with duct\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
6	BRS	L6	112	5 and semiconductor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
7	BRS	L7	424	(heat adj sink) and fin and fan and (wall with top with side)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
8	BRS	L9	238	7 and ((hous\$3 or duct\$3 or shroud\$3) same fan)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T